

Safety Data Sheet

Product Name: SATSUMA
Product identifier: 408-0134
Revision Date: 03-17-2017
Replaces:



1. Identification

Product identifier used on the label:

Product Name: SATSUMA
Product identifier: 408-0134

Other means of identification

Synonyms: No Data Available

Recommended use of the chemical and restrictions on use: Fragrance

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer /
Importer / Distributor: Canwax
114 Lindgren Rd. W Unit 1B
Huntsville, ON P1H 1Y2

Emergency phone number: IF SWALLOWED CALL YOUR POISON
CONTROL CENTER AT 1-800-222-1222 (US)
ONTARIO: 1-800-268-9017

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Hazardous to the aquatic environment - Acute Category 3; Flammable Liquid Category 4

GHS Signal Word: Warning

GHS Hazard Statements: Cumbustible Liquid; Harmful to aquatic life.

GHS Precautionary Statements:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: In case of fire: Use extinguishing media listed in Section 5 of the SDS to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

Safety Data Sheet

Product Name: SATSUMA

Product identifier: 408-0134

Revision Date: 03-17-2017

Replaces:

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Diethyl phthalate	84-66-2	60 - 99
Citrus grandis peel oil	8016-20-4	3 - 7
1,4-Dioxacycloheptadecane-5,17-dione	105-95-3	1 - 5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Inhalation: This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important symptoms/effects (Acute): No Data Available

Most important symptoms/effects (Delayed): No Data Available

Indication of immediate medical attention and special treatment needed, if necessary: No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Safety Data Sheet

Product Name: SATSUMA

Product identifier: 408-0134

Revision Date: 03-17-2017

Replaces:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

Unsuitable extinguishing media: No Data Available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Flammability Summary: Combustible

Fire and/or Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B).

Vapors are heavier than air and may travel to a source of ignition and flash back.

Hazardous Combustion Products: Carbon Oxides

Special protective equipment and precautions for fire-fighters: Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

Methods and materials for containment and cleaning up: No special spill clean-up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

Safety Data Sheet

Product Name: SATSUMA

Product identifier: 408-0134

Revision Date: 03-17-2017

Replaces:

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available			

Appropriate engineering controls:

No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:

No respiratory protection required under normal conditions of use.

Eye Protection:

No special requirements under normal industrial use.

Skin Protection:

Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves:

No information available

Respiratory Protection:

No respiratory protection required under normal conditions of use.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state):

Liquid

Color:

Yellow

Odor:

Comparable to Standard

Odor threshold:

Not determined

pH:

Not Available

Initial Boiling Point and Boiling Range (°C):

No Data Available

Flash Point :

175 ° F

Evaporation Rate:

Not Available

Flammability (solid, gas):

No Data Available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit:

Not Available

Lower Flammable/Explosive Limit:

Not Available

Vapor Density:

> 1

Relative Density:

1.0809

Solubility(ies):

Soluble in water- No

Decomposition Temperature::

No Data Available

Viscosity:

No Data Available

Volatiles, % by weight

9.6

Safety Data Sheet

Product Name: SATSUMA

Product identifier: 408-0134

Revision Date: 03-17-2017

Replaces:

Volatile Organic Chemicals	No Data Available
Bulk Density	9.021

10. Stability and reactivity

Reactivity:	No Data Available
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	No Data Available
Conditions to avoid (e.g., static discharge, shock, or vibration):	None known. .
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon Oxides

11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	No Data Available
Symptoms related to the physical, chemical and toxicological characteristics:	No Data Available
Target Organs Potentially Affected by Exposure:	No Data Available
Chemical Interactions That Change Toxicity:	None Known

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	No data.
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Mild eye irritant.
Ingestion Irritation:	No Data Available

Long-Term (Chronic) Health Effects:

Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive and Developmental Toxicity:	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

Safety Data Sheet

Product Name: SATSUMA
Product identifier: 408-0134
Revision Date: 03-17-2017
Replaces:

dermatitis.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

This material is not expected to be harmful to the ecology.

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available			

Persistence and degradability: No Data Available
Bioaccumulative potential: No Data Available
Mobility in soil: No Data Available
Other adverse effects (such as hazardous to the ozone layer): No Data Available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material may be a hazardous waste.

Safe Handling of Waste: No Data Available

Waste treatment methods (including packaging): DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we

Safety Data Sheet

Product Name: SATSUMA

Product identifier: 408-0134

Revision Date: 03-17-2017

Replaces:

have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

14. Transport information

US DOT Ground Shipping Not Restricted

Description:

IATA Shipping Description: Not Restricted

IMDG Shipping Description: Not Restricted

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

California Prop 65: Does not contain any chemicals listed on California Proposition 65.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	Regulation	% Range
None Listed		California Prop 65 Cancer	
None Listed		California Prop 65 Developmental	
None Listed		California Prop 65 Reproductive Female	
None Listed		California Prop 65 Reproductive Male	

Safety Data Sheet

Product Name: SATSUMA

Product identifier: 408-0134

Revision Date: 03-17-2017

Replaces:

None Listed		CERCLA	
None Listed		SARA 313	
None Listed		SARA EHS	

16. Other information, including date of preparation or last revision.

Revision Date: 03-17-2017

Revision Number: 3

Disclaimer: Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.