

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

SUPPLIES • RESOURCES • EDUCATION

CANWAX
candle & soap

1. Identification

Product identifier used on the label:

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Other means of identification

Synonyms: No Data Available

Recommended use of the chemical and restrictions on use: Fragrance

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer /
Importer / Distributor: Canwax
114 Lindgren Rd W Unit 1B
Huntsville, ON P1H 1Y2

Emergency phone number: IF SWALLOWED CALL YOUR POISON
CONTROL CENTER AT 1-800-222-1222 (US)
ONTARIO: 1-800-268-9017

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard
Symbols:



GHS Classification: Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2; Flammable Liquid Category 4

GHS Signal Word: Warning

GHS Hazard Statements: Combustible Liquid; Causes skin irritation.; May cause an allergic skin reaction.; Causes serious eye irritation.; May cause damage to organs through prolonged or repeated exposure.; Toxic to aquatic life.; Toxic to aquatic life with long lasting effects.

GHS Precautionary Statements:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Wash

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

First Aid Measures:

thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. In case of fire: Use extinguishing media listed in Section 5 of the SDS to extinguish. Collect spillage.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Benzoic acid, 2-hydroxy-, pentyl ester	2050-08-0	7 - 15
2-Propenal, 3-phenyl-	104-55-2	7 - 15
Ethanone, 1-phenyl-	98-86-2	5 - 10
Benzophenone	119-61-9	1 - 5
Benzaldehyde, 4-hydroxy-3-methoxy	121-33-5	1 - 5
CITRAL 95 - C-1161	5392-40-5	1 - 5
2H-1-Benzopyran-2-one	91-64-5	1 - 5
Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, 2-acetate, (1R,2R,4R)-rel-	125-12-2	1 - 5
6-Octenal, 3,7-dimethyl-	106-23-0	1 - 5
Cymbopogon nardus oil	8000-29-1	1 - 5
3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-	98-55-5	1 - 5
Oils, eucalyptus	8000-48-4	0.5 - 1.5
1,6-Octadien-3-ol, 3,7-dimethyl-	78-70-6	0.5 - 1.5
1,3-Benzodioxole-5-carboxaldehyde	120-57-0	0.1 - 1
6-Octen-1-ol, 3,7-dimethyl-	106-22-9	0.1 - 1
Pinus spp. (Pinaceae)	8006-64-2	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately

Ingestion: Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important symptoms/effects (Acute): No Data Available

Most important symptoms/effects (Delayed): No Data Available

Indication of immediate medical attention and special treatment needed, if necessary: No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water may be ineffective but water spray can be used to extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire.

Unsuitable extinguishing media: No Data Available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Flammability Summary: Combustible

Fire and/or Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.

Hazardous Combustion Products: Carbon Oxides, Carbon dioxide, Carbon monoxide

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

Special protective equipment and precautions for fire-fighters: Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: No health effects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

Methods and materials for containment and cleaning up: No special spill clean-up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure. Use spark-proof tools and explosion-proof equipment As with all chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Keep away from sources of ignition Store in a cool place in original container and protect from sunlight Do not store near combustible materials Store in a tightly closed container

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Strong bases Strong reducing agents Strong acids Acid chlorides Acid anhydrides Acids Strong alkalies Nitrogen oxides

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
Ethanone, 1-phenyl-	10 ppm		No PEL established

Appropriate engineering controls: No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this material should be equipped with an eyewash and safety shower.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work

Gloves: No information available

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

Other Protective Equipment: Wear goggles and a Face shield

General Hygiene Conditions: Use spark-proof tools and explosion-proof equipment As with all chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state):

Liquid

Color:

PALE YELLOW

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

Odor:	Comparable to Standard
Odor threshold:	Not determined
pH:	Not Available
Melting Point/Freezing Point (°C):	19 ° F
Initial Boiling Point and Boiling Range (°C):	No Data Available
Flash Point :	150 ° F
Evaporation Rate:	Not Available
Flammability (solid, gas):	No Data Available
Upper/lower flammability or explosive limits:	
Upper Flammable/Explosive Limit:	5.2 %(V)
Lower Flammable/Explosive Limit:	Not Available
Vapor Density:	> 1
Relative Density:	0.9907
Solubility(ies):	Soluble in water- No
Auto-ignition Temperature (°C):	270 ° C
Decomposition Temperature::	215
Viscosity:	No Data Available
Volatiles, % by weight	32.56
Volatile Organic Chemicals	No Data Available
Bulk Density	8.27

10. Stability and reactivity

Reactivity:	No Data Available
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	No Data Available
Conditions to avoid (e.g., static discharge, shock, or vibration):	None known. Heat Light flame sparks Extremes of temperature direct sunlight.
Incompatible materials:	Strong oxidizing agents Strong bases Strong reducing agents Strong acids Acid chlorides Acid anhydrides Acids Strong alkalies Nitrogen oxides
Hazardous decomposition products:	Carbon Oxides Carbon dioxide Carbon monoxide

11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Inhalation, Ingestion, Skin contact, Eye contact
Symptoms related to the physical, chemical and toxicological characteristics:	No Data Available
Target Organs Potentially	Eyes, Nervous System, Respiratory Tract, Skin

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

Affected by Exposure:

Chemical Interactions That None Known

Change Toxicity:

Medical Conditions Aggravated Eye disease, Respiratory disease including asthma and bronchitis, Skin disease
by Exposure: including eczema and sensitization

Delayed and immediate effects and also chronic effects from short- and long-term exposure:**Immediate (Acute) Health Effects by Route of Exposure:**

Inhalation Irritation: Can cause respiratory irritation.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea.

Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive and No data available to indicate product or any components present at greater than
Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than
0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates)**Component Toxicology Data**

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

This material is not expected to be harmful to the ecology.

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available			

Persistence and degradability: No Data Available

Bioaccumulative potential: No Data Available

Mobility in soil: No Data Available

Other adverse effects (such as hazardous to the ozone layer): No Data Available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material may be a hazardous waste.

Safe Handling of Waste: No Data Available

Waste treatment methods (including packaging): DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

14. Transport information

US DOT Ground Shipping Not Restricted

Description:

IATA Shipping Description: Not Restricted

IMDG Shipping Description: Not Restricted

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.
California Prop 65: Contains chemicals listed on California Proposition 65, see below.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	Regulation	% Range
Diphenyl ketone	119-61-9	California Prop 65 Cancer	1 - 5
None Listed		California Prop 65 Developmental	
None Listed		California Prop 65 Reproductive Female	
None Listed		California Prop 65 Reproductive Male	
None Listed		CERCLA	
Acetophenone	98-86-2	SARA 313	5 - 10
N590 Polycyclic aromatic compounds (PACs)	91-64-5	SARA 313	1 - 5
None Listed		SARA EHS	

16. Other information, including date of preparation or last revision.

Revision Date: 03-17-2017

Revision Number: 5

Disclaimer: Important: While the descriptions, data and information

Safety Data Sheet

Product Name: SMOKE OUT TYPE

Product identifier: 1110-0038

Revision Date: 03-17-2017

Replaces:

contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.